Freeform Search

Database:	US Patents Full-Text Database JP⊙ Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:	128 and (client computer or server near3 provid\$3)	
Display: Generate:	Documents in <u>Display Format</u> : TI Starting with Number 1 Hit List • Hit Count • Image	
***************************************	Search Clear Help Logout Interrupt	
	Main Menu Show S Numbers Edit S Numbers Preferences	

Search History

Today's Date: 9/11/2000

DB Name	<u>Query</u>	Hit Count	Set Name
USPT	5812930.pn.	1	<u>L31</u>
USPT,JPAB,EPAB,DWPI,TDBD	129 and (map\$4 server)	3	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	l28 and (client computer or server near3 provid\$3)	114	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	10757	<u>L28</u>
USPT	11 and (client computer)	55	<u>L27</u>
USPT	125 and transmit\$4	1	<u>L26</u>
USPT	5848373.pn.	1	<u>L25</u>
USPT	123 and (information server)	2	<u>L24</u>
USPT	ll and (map\$4 server or map database)	255	<u>L23</u>
USPT	11 (map\$4 server or map database)	1	<u>L22</u>
USPT	5922040.pn.	1	<u>L21</u>

gate.exe?f=ffsea	t=TI&dbn

USPT	5758313.pn.	1	<u>L20</u>
USPT	118 and (map\$4 near4 server)	46	<u>L19</u>
USPT	11 and (information near4 server)	180	<u>L18</u>
USPT	5410485.pn.	1	<u>L17</u>
USPT	115 and ((second) near3 (stor\$3 or memory))	47	<u>L16</u>
USPT	l6 and ((first) near3 (stor\$3 or memory))	70	<u>L15</u>
USPT	111 and ((first) near3 (stor\$3 or memory))	5	<u>L14</u>
USPT	5559707.pn.	1	<u>L13</u>
USPT	111 and ((map) near7 (server))	6	<u>L12</u>
USPT	16 and ((information) near7 (server))	23	<u>L11</u>
USPT	19 and ((place or point) near7 (interest\$3))	6	<u>L10</u>
USPT	l6 and ((information or map) near7 (server))	29	<u>L9</u>
USPT	5235633.pn.	1	<u>L8</u>
USPT	5652707.pn.	1	<u>L7</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data)) near7 (map near3 server near3 computer or server near3 computer or map near3 computer or map near3 database or map near3 database)	271	<u>L6</u>
USPT	l4 and ((place near7 interest\$3))	11	<u>L5</u>
USPT	l3 and server	138	<u>L4</u>
USPT	12 and client	181	<u>L3</u>
USPT	11 and transmit\$4	2611	<u>L2</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	4787	<u>L1</u>



Freeform Search

Database:	US Patents Fu JPO Abstracts EPO Abstracts Derwent Work IBM Technical	Database Database Detents Inde				
Term:	128 and (cl	ient compu	ter or :	server near3	3 provid\$3) ▲	And a contract of the contract
Display: Generate:	10 Documents in Display Format: TI Starting with Number 1 : O Hit List O Hit Count O Image					
***************************************	Search	Clear	Help	Logout	Interrupt	######################################
	Main Menu	Show S Nur	nbers E	dit S Numbers	Preferences	

Search History

Today's Date: 9/11/2000

DB Name	<u>Query</u>	Hit Count	Set Name
USPT	5812930.pn.	1	<u>L31</u>
USPT,JPAB,EPAB,DWPI,TDBD	129 and (map\$4 server)	3	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	128 and (client computer or server near3 provid\$3)	114	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	10757	<u>L28</u>
USPT	11 and (client computer)	55	<u>L27</u>
USPT	125 and transmit\$4	1	<u>L26</u>
USPT	5848373.pn.	1	<u>L25</u>
USPT	123 and (information server)	2	<u>L24</u>
USPT	11 and (map\$4 server or map database)	255	<u>L23</u>
USPT	11 (map\$4 server or map database)	1	<u>L22</u>
USPT	5922040.pn.	1	<u>L21</u>

USPT	5758313.pn.	1	<u>L20</u>
USPT	118 and (map\$4 near4 server)	46	<u>L19</u>
USPT	11 and (information near4 server)	180	<u>L18</u>
USPT	5410485.pn.	1	<u>L17</u>
USPT	115 and ((second) near3 (stor\$3 or memory))	47	<u>L16</u>
USPT	16 and ((first) near3 (stor\$3 or memory))	70	<u>L15</u>
USPT	111 and ((first) near3 (stor\$3 or memory))	5	<u>L14</u>
USPT	5559707.pn.	1	<u>L13</u>
USPT	lll and ((map) near7 (server))	6	<u>L12</u>
USPT	16 and ((information) near7 (server))	23	<u>L11</u>
USPT	19 and ((place or point) near7 (interest\$3))	6	<u>L10</u>
USPT	16 and ((information or map) near7 (server))	29	<u>L9</u>
USPT	5235633.pn.	1	<u>L8</u>
USPT	5652707.pn.	1	<u>L7</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data)) near7 (map near3 server near3 computer or server near3 computer or map near3 computer or map near3 database or map near3 database)	271	<u>L6</u>
USPT	14 and ((place near7 interest\$3))	11	<u>L5</u>
USPT	13 and server	138	<u>L4</u>
USPT	12 and client	181	<u>L3</u>
USPT	11 and transmit\$4	2611	<u>L2</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	4787	<u>L1</u>



Freeform Search

Database:	US Patents Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term: Display:	4809201.pn. 10 Documents in Display Format: TI Starting with Number 1
Generate:	Search Clear Help Logout Interrupt Main Menu Show S Numbers Edit S Numbers Preferences

Search History

Today's Date: 9/11/2000

DB Name	Query	Hit Count	Set Name
USPT	4809201.pn.	1	<u>L88</u>
USPT	5445524.pn.	1	<u>L87</u>
USPT	5506897.pn.	1	<u>L86</u>
USPT	5533107.pn.	1	<u>L85</u>
USPT	5550743.pn.	1.	<u>L84</u>
USPT	5669061.pn.	1	<u>L83</u>
USPT	5684940.pn.	1	<u>L82</u>
USPT	5796634.pn.	1	<u>L81</u>
USPT	4809201.pn.	1	<u>L80</u>
USPT	4888698.pn.	1	<u>L79</u>
USPT	5231584.pn.	1	<u>L78</u>
USPT	5428546.pn.	1	<u>L77</u>
USPT	5428546.pn.	1	<u>L76</u>

USPT	5445524.pn.	1	<u>L75</u>
USPT	5506897.pn.	1	<u>L74</u>
USPT	5533107.pn.	1	<u>L73</u>
USPT	5550743.pn.	1	<u>L72</u>
USPT	5581259.pn.	1	<u>L71</u>
USPT	5636122.pn.	1	<u>L70</u>
USPT	5669061.pn.	1	<u>L69</u>
USPT	5684940.pn.	1	<u>L68</u>
USPT	5754671.pn.	1	<u>L67</u>
USPT	5758313.pn.	1	<u>L66</u>
USPT	5796634.pn.	1	<u>L65</u>
USPT	5513356.pn.	1	<u>L64</u>
USPT	5774878.pn.	1	<u>L63</u>
USPT	5787414.pn.	1	<u>L62</u>
USPT	5787433.pn.	1	<u>L61</u>
USPT	5796921.pn.	1	<u>L60</u>
USPT	5848389.pn.	1	<u>L59</u>
USPT	5704013.pn.	1	<u>L58</u>
USPT	156 and (information server)	1	<u>L57</u>
USPT	155 and (map server)	11	<u>L56</u>
USPT	(map\$4 near5 request\$3)	1771	<u>L55</u>
USPT	5530961.pn.	1	<u>L54</u>
USPT	5566330.pn.	1	<u>L53</u>
USPT	5673403.pn.	1	<u>L52</u>
USPT	5428546.pn.	1	<u>L51</u>
USPT	5543789.pn	1	<u>L50</u>
USPT	5559707.pn.	1	<u>L49</u>
USPT	5682525.pn.	1	<u>L48</u>
USPT	5737533.pn.	1	<u>L47</u>
USPT	5802492.pn.	1	<u>L46</u>
USPT	5231584.pn.	1	<u>L45</u>
USPT	5826195.pn.	1	<u>L44</u>
USPT	142 and (map\$4 near5 request\$3)	55	<u>L43</u>
USPT	11 and ((client) near3 (computer or server))	184	<u>L42</u>
USPT	134 and 139a	1	<u>L41</u>
USPT	134 and 136a	0	<u>L40</u>
USPT	134 and (stor\$3)	1	<u>L39</u>

http://wes

USPT	l34 and (first stor\$3)	0	<u>L38</u>
USPT	134 and (first database)	0	<u>L37</u>
USPT	134 and (database)	1	<u>L36</u>
USPT	134 and (client server)	1	<u>L35</u>
USPT	5682525.pn.	1	<u>L34</u>
USPT,JPAB,EPAB,DWPI,TDBD	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data)) near7 (map near3 server near3 computer or server near3 computer or map near3 computer or map near3 database or map near3 database)	581	<u>L33</u>
USPT	5893898.pn.	1	<u>L32</u>
USPT	5812930.pn.	1	<u>L31</u>
USPT,JPAB,EPAB,DWPI,TDBD	129 and (map\$4 server)	3	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	l28 and (client computer or server near3 provid\$3)	114	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	10757	<u>L28</u>
USPT	11 and (client computer)	55	<u>L27</u>
USPT	125 and transmit\$4	1	<u>L26</u>
USPT	5848373.pn.	1	<u>L25</u>
USPT	123 and (information server)	2	<u>L24</u>
USPT	11 and (map\$4 server or map database)	255	<u>L23</u>
USPT	11 (map\$4 server or map database)	1	<u>L22</u>
USPT	5922040.pn.	1	<u>L21</u>
USPT	5758313.pn.	1	<u>L20</u>
USPT	118 and (map\$4 near4 server)	46	<u>L19</u>
USPT	11 and (information near4 server)	180	<u>L18</u>
USPT	5410485.pn.	1	<u>L17</u>
USPT	115 and ((second) near3 (stor\$3 or memory))	47	<u>L16</u>
USPT	16 and ((first) near3 (stor\$3 or memory))	70	<u>L15</u>
USPT	111 and ((first) near3 (stor\$3 or memory))	5	<u>L14</u>
USPT	5559707.pn.	1	<u>L13</u>
USPT	111 and ((map) near7 (server))	6	<u>L12</u>
USPT	16 and ((information) near7 (server))	23	<u>L11</u>
USPT	19 and ((place or point) near7 (interest\$3))	6	<u>L10</u>
USPT	16 and ((information or map) near7 (server))	29	<u>L9</u>
USPT	5235633.pn.	1	<u>L8</u>

	http://westbrs:8820/bin/gate.exe?f=ffs
7	

USPT	5652707.pn.	1	<u>L7</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data)) near7 (map near3 server near3 computer or server near3 computer or map near3 computer or map near3 database or map near3 database)	271	<u>L6</u>
USPT	<pre>l4 and ((place near7 interest\$3))</pre>	11	<u>L5</u>
USPT	l3 and server	138	<u>L4</u>
USPT	12 and client	181	<u>L3</u>
USPT	11 and transmit\$4	2611	<u>L2</u>
USPT	((database or stor\$3) near9 (map near3 data or map near3 information or geographic\$2 near3 data))	4787	<u>L1</u>